


System 2.1



153 x 47mm

285 x 47mm








- Modular Downlight Series
- Trimless and trim options
- Multiple light source options
- 90+ CRI with premium optics
- DALI and 0-10v options

System 2.1 is a multi-use modular downlight series that can be used in a wide range of Interior environments. Ideally suited for multi-functional spaces, System 2.1 is best specified with System 2.0 (track series), providing the Designer a suite of fixtures that covers ambient, accent and task lighting. Whether for a high-end Villa or a Corporate office environment, System 2.1 provides the Interior with consistency in both design and technical performance.







*Reflector options: White / Black



Trim Housing* (H: 61mm)

Trimless Housing (H: 60mm) / requires min 4mm plaster thickness




* Finish options: White / Black

White finish only

Standard Downlights (90+ CRI)	Finish	Beam Angle(s)	Power (W)	Lumens (@ 3000k)
1. 5-LED Downlight / Trim	White Trim / Black Reflector S215L.WT.BR	15°/30°/40°	11w	1020 lm
	White Trim / White Reflector S215L.WT.WR			
	Black Trim / Black Reflector S215L.BT.BR			
	Black Trim / White Reflector S215L.BT.WR			
2. 5-LED Downlight / Trimless	Black Reflector S215TL.BR			
	White Reflector S215TL.WR			
3. Wallwasher / Trim	White S215WW.WT	Asymmetric	11w	612 lm
	Black S215WW.BT			
4. Wallwasher / Trimless	n/a S215WW.TL			
5. Linear LED / Trim	White S215LL.WT	115°	11w	551 lm
	Black S215LL.BT			
6. Linear LED / Trimless	n/a S215LL.TL			

Order Code (5-LED Downlights only)





Ordering Info > 5-LED Downlights

- Example: **S215L.WT.BR.930.15.D**
- *None: Where Control Gear is not required standard warranty terms will not apply (see warranty document)



Ordering Info > Wallwasher / Linear LED

- Example: 3000k - **S215LWW.WT.930.D**
4000k - **S215LWW.WT.940.D**
- *None: Where Control Gear is not required standard warranty terms will not apply (see warranty document)





266

*Reflector options: White / Black



266




266

Trim Housing* (H: 61mm)




* Finish options: White / Black



Trimless Housing (H: 60mm) / requires min 4mm plaster thickness




White finish only



Large Downlights (90+ CRI)	Finish	Beam Angle(s)	Power (W)	Lumens (@ 3000k)
1. 10-LED Downlight / Trim	White Trim / Black Reflector S2110L.WT.BR	15°/30°/40°	22w	2000 lm
	White Trim / White Reflector S2110L.WT.WR			
	Black Trim / Black Reflector S2110L.BT.BR			
	Black Trim / White Reflector S2110L.BT.WR			
2. 10-LED Downlight / Trimless	Black Reflector S2110TL.BR			
	White Reflector S2110TL.WR			
3. Wallwasher / Trim	White S2110WW.WT	Asymmetric	22w	1224 lm
	Black S2110WW.BT			
4. Wallwasher / Trimless	n/a S2110WW.TL			
5. Linear LED / Trim	White S2110LL.WT	115°	22w	1102 lm
	Black S2110LL.BT			
6. Linear LED / Trimless	n/a S2110LL.TL			

Order Code (10-LED Downlights only)



Ordering Info > 10-LED Downlights

- Example: [S2110L.WT.BR.930.15.D](#)
- *None: Where Control Gear is not required standard warranty terms will not apply (see warranty document)

Ordering Info > Wallwasher / Linear LED

- Example: 3000k - [S2110LWW.WT.930.D](#)
4000k - [S2110LWW.WT.940.D](#)
- *None: Where Control Gear is not required standard warranty terms will not apply (see warranty document)