

Optima

Ø84mm

Ø91mm

- Family of minimalist Downlights
- Ideal for Residential / Hospitality
- Recessed baffle option
- Front-loading for easy re-lamping
- Snoot variant available

General

| | |
|----------------|------------------------------|
| Type | Fixed / Adjustable Downlight |
| Mounting | Ceiling Recessed |
| IP-Rating | IP20 / IP44 |
| Construction | Diecast Aluminium |
| Operating Temp | -10°C to +40°C |
| Protection | Class 2 |
| Certification | CE (EN 60598-1) |
| Warranty | 5 years |


Order Code

| | | | | |
|--------|---|--|---|--------------|
| ① | → | ② | → | ③ |
| Finish | | LED Engine | | Control Gear |
| | | 8.9w .9 80 CRI .8 2700k / 12° beam 27.12 | | Phase-cut .P |
| | | 12.2w .12 90 CRI .9 2700k / 24° beam 27.24 | | 1-10v .A |
| | | 2700k / 38° beam 27.38 | | DALI .D |
| | | 3000k / 12° beam 30.12 | | Switching .S |
| | | 3000k / 24° beam 30.24 | | *None .N |
| | | 3000k / 38° beam 30.38 | | |
| | | 4000k / 12° beam 40.12 | | |
| | | 4000k / 24° beam 40.24 | | |
| | | 4000k / 38° beam 40.38 | | |
| ① | → | ② | | |
| Finish | | Lamp | | |
| | | GU10 (not incl) .10 | | |
| | | MR16 (not incl) .16 | | |

| | | |
|---------|---|----------------------|
| Add-ons | → | Honeycomb Filter .HC |
| | | Frosted Lens .FL |




Ordering Info:

1. Example: **A326W.9.827.38.P**
2. *None: Where Control Gear is not required standard warranty terms will not apply (see warranty document > akclighting.com)
3. Add-ons: Include Add-on Code(s) after Order Code - more than one Add-on can be specified (where applicable)





| Variant | Finish | Cut-out | Tilt | Rotate |
|----------------|--------------------|---------|------|--------|
| 1. Optima | White A326W | Ø78mm | - | - |
| | Black A326B | | | |
| 2. Optima IP44 | White A328W | Ø78mm | - | - |
| | Black A328B | | | |


*IP44 includes clear glass cover to aperture (frosted glass available on request)




| Variant | Finish | Cut-out | Tilt | Rotate |
|-----------------|--------------------|---------|------|--------|
| 3. Optima AG | White A327W | Ø78mm | - | - |
| | Black A327B | | | |
| 4. Optima Shoot | White A329W | Ø78mm | - | - |
| | Black A329B | | | |



Ø91
Height > add 25mm for 12w



Ø91
Height > add 25mm for 12w



Ø91
Height > add 25mm for 12w

| Variant | Finish | Cut-out | Tilt | Rotate |
|------------------------|--------------------|---------|------|--------|
| 5. Optima Adj | White A330W | Ø85mm | 25° | - |
| | Black A330B | | | |
| 6. Optima Adj AG | White A331W | Ø85mm | 25° | - |
| | Black A331B | | | |
| 7. Optima Adj AG Snoot | White A332W | Ø85mm | 25° | - |
| | Black A332B | | | |